

# MYAH

Optical Biometry + Corneal Topography

**Build, Manage and Grow  
Your Myopia & Dry Eye Practice**



 **TOPCON** Healthcare

# Myopia greatly impacts the quality of life and personal development of children<sup>1</sup>.

It has never been a better time to join the battle against the global myopia epidemic. MYAH is the perfect instrument for eyecare professionals interested in building, managing and growing a myopia service.

## Overview of MYAH



Corneal Topography including keratoconus screening and pupillometry



Axial length measurement using optical low coherence Interferometry



Progression reports for analysing treatment efficacy



Myopia and dry eye questionnaires



Comprehensive suite of dry eye assessment tools



Patient-friendly with rapid capture



Compact, space-saving, easy to operate



Exclusive axial length reference databases

Did you know that 50% of the world's population<sup>2</sup> may be myopic by 2050?

**European regions are not an exception.**

Region	2000	2010	2020	2030	2040	2050
Central Europe	20.5%	27.1%	34.6%	41.8%	48.9%	54.1%
Eastern Europe	18.0%	25.0%	32.2%	38.9%	45.9%	50.4%
Western Europe	21.9%	28.5%	36.7%	44.5%	51.0%	56.2%
Global	22.9%	28.3%	33.9%	39.9%	45.2%	49.8%

---

Building a myopia management practice requires you to educate your patients and their families about the implications of myopia progression, to manage the condition and to grow your service offering.

---

## **BUILD YOUR MYOPIA MANAGEMENT SERVICE**

MYAH establishes the initial baseline to monitor risk, allowing you to start the conversation early with parents.

## **MANAGE: MONITOR AND COMPARE**

MYAH provides essential information to monitor eye elongation and compare axial length measurements with built-in growth curves.

## **GROW YOUR MYOPIA MANAGEMENT SERVICE**

Offering axial length screening tests may complement your refraction tests.

MYAH offers all the technologies required to support myopia management: optical biometry, corneal topography and pupillometry – it is a one-time investment. In addition, MYAH is an all-in-one device that offers an evolving platform which provides the tools to add or grow a dry-eye management service.




# Introducing MYAH's growth curves.

MYAH allows you to monitor the progression of myopia and compare measurements with the growth curves for axial length.

The majority of myopic eyes become myopic principally because of excessive axial elongation<sup>3</sup>.


By using the extensive axial length dataset collected by Erasmus University (Rotterdam, NL)<sup>4</sup>, or the dataset on Chinese children (Shanghai)<sup>5,6</sup>, now incorporated into MYAH, you can monitor axial length and then compare the patient's data with normative growth curves. You will thus be able to better understand a child's risk of myopia in adulthood.

## You can now enhance your myopia management service with MYAH's growth curves.



# New! Questionnaires on myopia & dry eye

Discover the latest additions to MYAH's services: a new myopia questionnaire along with two comprehensive dry eye questionnaires: OSDI and DEQ-5. These insightful questionnaires help systematically track data over time and are seamlessly integrated into our enhanced reports.



## Additional Features.

### Dynamic Pupillometry


Provides clear information on the reaction time and size of the pupil, which may be useful to monitor low dose atropine compliance or to titrate the dose of atropine. The user can examine pupil centration and diameter over a range of light levels, which is useful for Ortho-K and multifocal lens fittings, and is also informative for pre- and post-refractive surgery.

5

## Contact Lens Fitting


MYAH provides support for contact lens fitting, reducing the number of lenses that need to be trialed on the eye:

- Includes a database of conventional RGP and Ortho-K lenses.
- Export topography data to 3<sup>rd</sup> party calculators.
- Fluorescein simulation with ability to save and review data.




## Dry Eye Assessment Tools

These tools offer non-invasive tear break-up time (NIBUT), Meibomian gland imaging with the area of loss analysis, tear meniscus height analysis, blink analysis, real fluorescein imaging and video acquisition. You can play a video of the topographic maps and also the Zernike maps and see them change during the break up of the tear film. Review results, print and export reports on network or USB.



## Corneal Topography

MYAH offers another range of tools to analyse the anterior cornea, including topographic maps, 3D maps, comparison maps, height maps, Zernike analysis and keratoconus screening.



## Corneal Aberration Summary

The Zernike expansion coefficient is used to determine which component(s) dominate the aberration structure of the cornea and to what degree.

The anterior corneal Zernike summary consists of 36 polynomials up to the 7<sup>th</sup> order and provides a clear view of the optical irregularities that can impact the quality of vision.



# Topcon MYAH

The all-in-one instrument features tools that monitor eye elongation, assess dry eye and assist with contact lens fittings.



## MYAH makes your practice dynamic and smart.

This versatile instrument, with its intuitive and user-friendly interface, integrates easily into your workflow and offers different options for exporting the results.

### 4 EASY STEPS



Select patient\*\* and acquisition mode.



Align patient and adjust automated chinrest.



Follow alignment guides to focus and trigger to start.



Review results and print/export reports to network or USB.

\*\* Create new patient, select existing patient or select patient from DICOM (search/worklist).

## MYAH SPECIFICATION

FEATURE	SPECIFICATION
<b>Keratoscopic cone</b>	24 rings equally distributed on a 43 D sphere
<b>Analyzed points</b>	Over 100,000
<b>Measured points</b>	6,144
<b>Corneal coverage</b>	Up to 9.8 mm on a sphere of radius 8.00 mm (42.2 D with n=1.3375)
<b>Axial Biometry</b>	Low-coherence interferometry on optical fiber (SLED @ 820 nm)
<b>Capture system</b>	Guided-focus
<b>Database</b>	Internal
<b>Pupillometry</b>	Dynamic, Photopic, Mesopic, Scotopic
<b>Fluorescein</b>	Image, Video
<b>Reports</b>	Keratometry, comparison map, contact lens, height map, Zernike analysis, pupillometry, Meibomian glands, tear film break-up time, tear meniscus height, Rx/AL trend analysis, fluorescein, parental, dry eye summary & dry eye follow-up report
<b>Working environment</b>	10 °C – 40 °C, Relative humidity 8 – 75% (no condensing), Atmospheric pressure 800 – 1060 hPa
<b>Power supply</b>	AC 100 – 240 V 50/60 Hz
<b>Power consumption</b>	100 VA
<b>Dimensions</b>	320 mm (W) x 490 mm (H) x 470 mm (L), 18 Kg
<b>Printing options</b>	USB printer, Network printer, PDF on network shared folder, PDF on USB, PDF or Image on network folder or on USB
<b>Operating System</b>	Windows 10 64-bit
<b>Monitor</b>	LCD 10.1 inch capacitive touch screen
<b>RAM</b>	At least 4 GB
<b>Hard Disk</b>	500 GB
<b>External connections</b>	LAN integrated, 2x USB

## INFORMATION ON MEASUREMENTS

MEASUREMENT	MEASURING RANGE	DISPLAY RESOLUTION	IN VIVO REPEATABILITY	
<b>Keratometry</b>	Radius of curvature Curve Radius in Diopter (D) (n=1,3375)	5.00 – 12.00 mm 28.00 – 67.50 D	0.01 mm 0.01 D	±0.02 mm ±0.12 D
<b>Axial Length</b>	15.00 – 36.00 mm	0.01 mm	±0.027 mm	
<b>Pupil dimension</b>	0.50 – 10.00 mm	0.01 mm	N/A	
<b>Limbus (White-To-White)</b>	8.00 – 14.00 mm	0.01 mm	±0.05 mm	
<b>IBI Index (Interblink Interval)</b>	0.2 – 20.0 s	0.1 s	N/A	
<b>Non-invasive Break-Up Time (TBT)</b>	0.5 – 30.0 s	0.1 s	N/A	
<b>Meibomian Glands area of loss</b>	0 – 100%	1%	N/A	
<b>Tear Meniscus Height</b>	0.10 – 1.00 mm	0.01 mm	N/A	

Not all products, services or offers are approved or offered in every market, and products vary from one country to another. Contact your local distributor for country-specific information.

1. Report of the Joint World Health Organization-Brien Holden Vision Institute, Global Scientific Meeting on Myopia. The Impact of myopia and high myopia. University of New South Wales, Sydney, Australia. 16-18 March 2015.

2. Holden, BA, Fricke, TR, Wilson, DA et al. Global prevalence of myopia and high myopia and temporal trends from 2000 through 2050. Ophthalmology. 2016; 123:1036-42. Available from: doi: DOI:10.1016/j.jophtha.2016.01.006

3. (Gifford KL, Richdale K, Kang P, Aller TA, Lam CS, Liu YM, Michaud L, Mulder J, Orr JB, Rose KA, Saunders KJ, Seidel D, Tideman JW, Sankaridurg P. IMI - Clinical Management Guidelines Report. Invest Ophthalmol Vis Sci. 2019 Feb;58(3):M184-M203).

4. Coordinates incorporated in this Myopia device are the most recent available data and originate from the Myopia Research Group of Erasmus MC, Rotterdam

5. Courtesy of Prof. Xu Xun, MD

6. He X, Sankaridurg P, Naduvilath T, Wang J, Xiong S, Weng R, Du L, Chen J, Zou H, Xu X. Normative data and percentile curves for axial length and axial length/corneal curvature in Chinese children and adolescents aged 4-18 years. Br J Ophthalmol. 2023 Feb;107(2):i67-175

**IMPORTANT** Subject to change in design and/or specifications without advanced notice. In order to obtain the best results with this instrument, please be sure to review all user instructions prior to operation. Medical device MDR Class IIa. Manufacturer: VISIA imaging S.r.l.



**TOPCON HEALTHCARE SOLUTIONS EMEA OY**  
Saaristonkatu 9, 90100 Oulu, FINLAND  
Phone: +358-20-734-8190  
E-mail: thsemea.sales@topcon.com  
www.topconhealthcare.eu

**TOPCON EUROPE MEDICAL B.V.**  
Essebaan 69, 2908 LJ Capelle a/d IJssel  
THE NETHERLANDS  
Phone: +31-(0)10-4585077  
Fax: +31-(0)10-4585045  
E-mail: medical@topcon.com  
www.topconhealthcare.eu

**TOPCON DANMARK**  
Praestemarksvej 25, 4000 Roskilde  
DANMARK  
Phone: +45-46-327500  
Fax: +45-46-327555  
E-mail: info.tdk@topcon.com  
www.topconhealthcare.eu/dk\_DK

**TOPCON SCANDINAVIA**  
Neogatan 2, P.O.Box 25, 43151 Mölndal  
SWEDEN  
Phone: +46-(0)31-7109200  
Fax: +46-(0)31-7109249  
E-mail: info.hcs.se@topcon.com  
www.topconhealthcare.eu/sv\_SE

**TOPCON ESPAÑA**  
Oficina Principal en España  
Frederic Mompou, 4,  
08960 Sant Just Desvern, Barcelona, SPAIN  
Phone: +34-93-4734057  
Fax: +34-93-4733932  
E-mail: medica@topcon.com  
www.topconhealthcare.eu/es\_ES

**TOPCON ITALY**  
Viale dell'Industria 60,  
20037 Paderno Dugnano, (MI) ITALY  
Phone: +39-02-9186671  
Fax: +39-02-91081091  
E-mail: info\_it@topcon.com  
www.topconhealthcare.eu/it\_IT

**TOPCON FRANCE MEDICAL**  
1 rue des Vergers, Parc Swen,  
Bâtiment 2, 69760 Limonest, FRANCE  
Phone: +33-(0)4-37 58 19 40  
Fax: +33-(0)4-72 23 86 60  
E-mail: topconfrance@topcon.com  
www.topconhealthcare.eu/fr\_FR

**TOPCON DEUTSCHLAND MEDICAL**  
Hanns-Martin-Schleyer-Straße 41,  
D-47877 Willich, GERMANY  
Phone: +(49)2154-885-0  
Fax: +(49)2154-885-177  
E-mail: info@topcon-medical.de  
www.topconhealthcare.eu/de\_DE

**TOPCON POLSKA SP. Z. O. O.**  
ul. Warszawska 23, 42-470 Siewierz  
POLAND  
Phone: +48-(0)32-670-50-45  
Fax: +48-(0)32-671-34-05  
E-mail: info\_tit@topcon.com  
www.topconhealthcare.eu/pl\_PL

**TOPCON GREAT BRITAIN MEDICAL**  
Topcon House, Kennet Side, Bone Lane,  
Newbury, Berkshire RG14 5PX  
UNITED KINGDOM  
Phone: +44-(0)1635-551120  
Fax: +44-(0)1635-551170  
E-mail: medical.tgbm@topcon.com  
www.topconhealthcare.eu/en\_UK

**TOPCON IRELAND MEDICAL**  
Unit 292, Block G, Blanchardstown,  
Corporate Park 2 Ballycoolin  
Dublin 15, D15 DX58, IRELAND  
Phone: +353-12233280  
E-mail: medical.ie@topcon.com  
www.topconhealthcare.eu/en\_IE